

STIC-ILL

440119 104/9

From: Ly, Cheyne
Sent: Wednesday, April 09, 2003 3:08 PM
To: STIC-ILL
Subject: ILL_Order

1. Chen et al., Ratio-based decisions and the quantitative analysis of cDNA microarray images, 1997, J. Biomed Optics, 2, 364-374.
2. Duggan et al., Expression Profiling using cDNA microarrays. Nature Genetics, 1999, 21, 10-14.
3. Efron et al., 1986, Bootstrap methods for standard error, confidence intervals, and other measures of statistical accuracy, Stat. Sci. 1, 54-77.

C. Dune Ly
Patent Examiner
Art Unit 1631
Room 12D-04
Mailbox 12D-01
Phone: 703 308 3880
Fax: 703 749 9331

cas - 100
cai 4/10

STIC-ILL

Q P 501, A 77

From: Ly, Cheyne
Sent: Wednesday, April 09, 2003 3:42 PM
To: STIC-ILL
Subject: ILL_Order

1: Bartosiewicz M, Trounstein M, Barker D, Johnston R, Buckpitt A.
Development of a toxicological gene array and quantitative assessment of this
technology.
Arch Biochem Biophys. 2000 Apr 1;376(1):66-73.
PMID: 10729191 [PubMed - indexed for MEDLINE]

C. Dune Ly
Patent Examiner
Art Unit 1631
Room 12D-04
Mailbox 12D-01
Phone: 703 308 3880
Fax: 703 749 9331